

- the data plane,” in *ACM SIGCOMM HotNets Workshop*, Nov. 2013.
- [10] E. Kohler, R. Morris, B. Chen, J. Jannotti, and M. F. Kaashoek, “The Click modular router,” *ACM Transactions on Computer Systems*, vol. 18, pp. 263–297, Aug. 2000.
- [11] “Multiprotocol Label Switching Charter.”
<http://datatracker.ietf.org/wg/mpls/charter/>.
- [12] R. Niranjan Mysore, A. Pamboris, N. Farrington, N. Huang, P. Miri, S. Radhakrishnan, V. Subramanya, and A. Vahdat, “PortLand: A scalable fault-tolerant layer 2 data center network fabric,” in *ACM SIGCOMM*, pp. 39–50, Aug. 2009.
- [13] P. McCann and S. Chandra, “PacketTypes: Abstract specificationa of network protocol messages,” in *ACM SIGCOMM*, pp. 321–333, Aug. 2000.
- [14] G. Back, “DataScript - A specification and scripting language for binary data,” in *Generative Programming and Component Engineering*, vol. 2487, pp. 66–77, Lecture Notes in Computer Science, 2002.
- [15] K. Fisher and R. Gruber, “PADS: A domain specific language for processing ad hoc data,” in *ACM Conference on Programming Language Design and Implementation*, pp. 295–304, June 2005.
- [16] G. Gibb, G. Varghese, M. Horowitz, and N. McKeown, “Design principles for packet parsers,” in *ANCS*, pp. 13–24, 2013.
- [17] “Open vSwitch website.”
<http://www.openvswitch.org>.
- [18] D. Zhou, B. Fan, H. Lim, M. Kaminsky, and D. G. Andersen, “Scalable, high performance ethernet forwarding with CuckooSwitch,” in *CoNext*, pp. 97–108, 2013.
- [19] “EZChip 240-Gigabit Network Processor for Carrier Ethernet Applications.”
http://www.ezchip.com/p_np5.htm.
- [20] “Broadcom BCM56850 Series.”
<https://www.broadcom.com/products/Switching/Data-Center/BCM56850-Series>.